

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("5477531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 09:40
S2	1	(test adj packet\$1) with (protocol near1 layer\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 10:38
S3	1	(test adj packet\$1) with (protocol near1 layer\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:41
S4	1	("5822520").PN.	USPAT; USOCR	OR	OFF	2005/09/13 10:39
S5	5	(asynchron\$4 with test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:52
S6	8	(asynchron\$4 with test near2 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:57
S7	12	(ATM with test near2 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 11:58
S8	4	(ATM with test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:02
S9	0	(asynchroniz\$4 with (test adj (packet\$1 or message)))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:03

S10	0	(asynchroniz\$4 with (test near1 (packet\$1 or message)))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:03
S11	1	(asynchroniz\$4 same (test near1 (packet\$1 or message)))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:04
S12	0	(asynchroniz\$4 same (test near1 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:04
S13	13	(asynch\$6 same (test near1 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:23
S14	5	(asynch\$6 with (test near1 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:04
S15	36	(asynch\$6 same (test near4 (packet\$1 )))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:33
S16	1	("5271000").PN.	USPAT; USOCR	OR	OFF	2005/09/13 12:36
S17	765	(asynchro\$5 with test)	USPAT	OR	OFF	2005/09/13 12:36
S18	5	(asynchro\$5 with test near1 packet)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 12:37
S19	78	(asynchro\$5 with test near1 data)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:57

S20	50	(asynchro\$5 with test near1 cell\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 13:57
S21	43	(asynchro\$5 with test adj cell\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:15
S22	4	(burst near4 test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:16
S23	8	(burst with test adj packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:20
S24	8	(burst with test near1 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:20
S25	3	(burst with test near1 cell\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:20
S26	5	(burst with test near1 information\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:22
S27	8	(burst with test near1 packet\$1)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:22

S28	1	(burst with test near1 packet\$1) with interval\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 14:44
S29	1	("5822520").PN.	USPAT; USOCR	OR	OFF	2005/09/13 14:50
S30	3335075	test near1 packet\$1 and (command\$1 with layer\$) @ad<="20011210"	USPAT	OR	OFF	2005/09/13 14:51
S31	8	test near1 packet\$1 and (command\$1 with layer\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 14:57
S32	23	test near1 packet\$1 and (generat\$3 with layer\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 15:02
S33	2	test near1 packet\$1 and (generat\$3 with layer\$1 with buffer\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 15:03
S34	0	test near1 packet\$1 and (generat\$3 with layer\$1 with stor\$4\$1) and @ad<="20011210"	USPAT	OR	OFF	2005/09/13 15:03
S35	1	test near1 packet\$1 and (generat\$3 with layer\$1 with stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:04
S36	46	test near1 packet\$1 and (layer\$1 with stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:07
S37	0	test near1 packet\$1 and (layer\$1 with retriev\$1 near4 stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:05
S38	1	test near1 packet\$1 and (layer\$1 with result\$1 near4 stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:05

S39	2	test near1 packet\$1 and (layer\$1 with result\$1 with stor\$4) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 15:23
S40	2	("6862699").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/13 15:23
S41	0	test near1 packet\$1 and (heap with return\$3 near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:07
S42	0	test near1 packet\$1 and (heap with return\$3 near4 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:07
S43	1	test near1 packet\$1 and (heap with return\$3 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:08
S44	1	test near1 packet\$1 and (heap\$4 with return\$3 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:08
S45	1	test near1 packet\$1 and (heap\$4 SAME return\$3 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:08
S46	3	test near1 packet\$1 and (heap\$4 SAME PACKET\$1 ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:36

S47	1	heap with "standard-size allocation units"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:36
S48	1	heap with "standard-size allocation "	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:37
S49	5	(heap with "4096" near1 bytes)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 16:47
S50	2	(stor\$3 same (heap with "4096" near1 bytes))and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:13
S51	1	("6076113").PN.	USPAT; USOCR	OR	OFF	2005/09/13 17:14
S52	0	(burst with fix near1 size)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:17
S53	43	(burst with fixed near1 size)and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:17
S54	0	(burst with fixed near1 size) and test near1 packet41 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:17
S55	0	(burst with fixed near1 size) and test near1 packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:18

S56	0	(burst with fixed near1 size) and test near4 packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:18
S57	4	(burst with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:20
S58	19	(burst same fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:31
S59	3	(burst same fixed near1 size near1 packet\$1) and test and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:20
S60	0	(generat\$5 with burst with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:31
S61	3	(generat\$5 with cell with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:32
S62	0	(generat\$5 same burst\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:32
S63	4	(burst\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:34

S64	4	(group\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:34
S65	28	(block\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:35
S66	4	(generat\$3 with block\$1 with fixed near1 size near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:35
S67	2	(block\$1 with fixed near1 size near1 packet\$1) and test near1 packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:40
S68	1	( packet near1 size ) with (("46" near1 bytes) near4 ("1500" near1 bytes)) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:42
S69	6112	( packet near1 size ) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:43
S70	90	( packet near1 size ) and test adj packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:43
S71	31	( packet near1 size with bytes) and test adj packet\$1 and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 17:44
S72	1	("20030220964:").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/15 10:07



S73	2	("6075773").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:05
S74	23701	test near1 (application\$1 or software or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:08
S75	71	test near1 (application\$1 or software or program) and (test near1 packet\$1) and @ad<="20011210"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:12
S76	11	test near1 (application\$1 or software or program) and (test near1 packet\$1) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:16
S77	3	test near1 packet\$1 with request\$3 with (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:20
S78	14	test near1 packet\$1 same request\$3 with (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:38
S79	1	test near1 packet\$1 same controller with (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:39
S80	12	test near1 packet\$1 same controller same (forward\$4 or send\$4) and @ad<="20011210" and (request\$1 with port\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 15:52
S81	1	("20020024973").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/16 15:53

S82	1	("20020006115").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/16 16:02
S83	2	("5477531").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:06
S84	2	("5812528").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:07
S85	2	("5640504").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:08
S86	2	("5699539").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:09
S87	2	("6076113").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:12
S88	2	("6016308").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:12